

Leukaemia Risk and Ultrasound

Concerns arose in the early 1980s about potential links between ultrasound scans in pregnancy and potential increased risk of childhood leukaemia.

There has been little consistent evidence that even repeated in utero diagnostic ultrasound tests are linked with an increased risk of childhood Acute Lymphocytic Leukaemia, ALL (Cartwright [1984](#), Kinnier [1984](#), Petridou [1997](#), Naumburg [2000](#), Shu XO [1994](#), [2002](#)), or Acute Non-lymphocytic Leukaemia, ANLL (Van Duijn [1994](#)), although Naumburg found a small increase in risk for ultrasound scans carried out in the second trimester of pregnancy. Dr Razum in Germany did a re-analysis of the Naumburg results and suggested that her data was consistent with the probability that a small proportion of cases of childhood leukaemia might be attributable to prenatal ultrasound exposure. Ultrasound exposure, in vitro, has been shown to cause membrane changes (Dinno MA [1989](#)), and some studies have shown an association between ultrasound exposure and left-handedness (Kieler H [1998](#), Salvesen [1999](#), [2002](#)), which could show that foetal development can be affected, possibly in ways that have not been looked at.

It has been suggested that although the risk levels are small and contested, ultrasound scans as a form of “baby TV” should not be routine, but be used for diagnostic or therapeutic purposes.

References:

Cartwright RA et al 1984 – *Ultrasound examinations in pregnancy and childhood cancer* Lancet 2(8410):999-1000

Dinno MA et al 1989 – *The significance of membrane changes in the safe and effective use of therapeutic and diagnostic ultrasound* Phys Med Biol 34:1543-1552

Kieler H et al 1998 – *Routine ultrasound screening in pregnancy and aspects of the children’s subsequent neurological development* Obstet Gynecol 91: 750-756

Kinnier Wilson L M 1984 – *Obstetric ultrasound and childhood malignancies* Lancet 2(8410):997-9

Naumburg E et al 2000 – *Prenatal ultrasound examinations and risk of childhood leukaemia: a case-control study* Br Med J 320:282-3

Petridou E et al 1997 – *The risk profile of childhood leukaemia in Greece: a nationwide case-control study* Br J Cancer 76:1241-1247

Salvesen KA & SH Eik-Nes 1999 – *Ultrasound during pregnancy and birthweight, childhood malignancies and neurological development* Ultrasound Med Biol 25(7):1025-31

Salvesen KA 2002 - *EFSUMB: safety tutorial: epidemiology of diagnostic ultrasound exposure during pregnancy-European committee for medical ultrasound safety (ECMUS)* Eur J Ultrasound 15(3):165-71

Shu XO et al 1994 – *Diagnostic X-ray and ultrasound exposure and risk of childhood cancer* Br J Cancer 70(3):531-6

Shu XO et al 2002 - *Diagnostic X-rays and ultrasound exposure and risk of childhood acute lymphoblastic leukemia by immunophenotype* Cancer Epidemiol Biomarkers Prev 11(2):177-85

Van Duijn CM et al 1994 - *Risk factors for childhood acute non-lymphocytic leukemia: an association with maternal alcohol consumption during pregnancy?* Cancer Epidemiol Biomarkers Prev 3(6):457-60.